


# Product datasheet

Specifications



Grid plate with cover frame, Clipsal Solis T Series, for switch, horizontal, 4 gangs, brushed brass

1044TUA-BB

## Main

|                           |                        |
|---------------------------|------------------------|
| Range                     | Clipsal Solis T Series |
| Product brand             | Clipsal                |
| Product or component type | Grid plate             |
| Provided equipment        | Cover frame            |
| Colour tint               | Brushed brass          |

## Complementary

|                     |                          |
|---------------------|--------------------------|
| fixing mode         | By screws                |
| Material            | Aluminium                |
| Surface finish      | Aluminium                |
| surface treatment   | Metallic                 |
| fixing center       | 120 mm                   |
| Thickness           | 4.5 mm                   |
| Width               | 148 mm                   |
| Height              | 74 mm                    |
| Depth               | 22.6 mm                  |
| Embedding depth     | 41 mm                    |
| Number of gangs     | 4 gangs                  |
| Product destination | Switch                   |
| Targeted country    | Australia<br>New Zealand |
| Type of frame       | Quadruple                |
| Main colour tint    | Brushed brass            |

## Packing Units

|                              |         |
|------------------------------|---------|
| Unit Type of Package 1       | PCE     |
| Number of Units in Package 1 | 1       |
| Package 1 Height             | 15.5 cm |
| Package 1 Width              | 6 cm    |
| Package 1 Length             | 8 cm    |
| Package 1 Weight             | 45 g    |
| Unit Type of Package 2       | CAR     |

|                                     |          |
|-------------------------------------|----------|
| <b>Number of Units in Package 2</b> | 40       |
| <b>Package 2 Height</b>             | 34 cm    |
| <b>Package 2 Width</b>              | 36 cm    |
| <b>Package 2 Length</b>             | 48 cm    |
| <b>Package 2 Weight</b>             | 1.884 kg |

## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

### Environmental footprint

Total lifecycle Carbon footprint 1

Environmental Disclosure [Product Environmental Profile](#)

### Use Better

#### Materials and Substances

[EU RoHS Directive](#) Compliant

REACH Regulation [REACH Declaration](#)

### Use Again

#### Repack and remanufacture

End of life manual availability No need of specific recycling operations

Take-back No

Image of product / Alternate images

Alternative

---



